Creation: Apr-30-2019

# Safety Data Sheet (SDS)

1. Chemical substance etc. and corporate information

Product name : LS BELLHAMMER Gold Cartridge Grease No.0 420ml

Company name : SUZUKI KIKOH CO., LTD.

Address : 316-3, Hidai, Matsudo-shi, Chiba-ken, 270-2214, Japan Department in charç: Quality Control Section, Quality Assurance Department

Person in charge :

TEL number : +81-47-385-5311 FAX number : +81-47-385-5313

### 2. Abstract of hazard

GHS classification (JIS Z 7252-2014)

Human health hazard

Skin sensitization Category 1

Hazard other than above is not classified or cannot be classified.

### Label element

Icon (symbol)



Sign : WARNING

Hazard information: there is risk of allergic skin reaction

Caution statement

[Safety measures] • Wear protective gloves, protective cloth, protective glasses, and

face shield

· Avoid inhalation of smoke, gas, mist, or spray.

Do not bring out contaminated working clothes from the working space.

[Emergent measures] • If attached to skin, wash the skin with large amount of water and

 $\boldsymbol{\cdot}$  If skin irritancy or rash is caused, receive diagnosis / treatment

from a doctor.

Take off the contaminated clothes. When reusing them, wash

expert waste disposer who gets permission based on the laws /

bylaw of each autonomous body.

Other • Give sufficient consideration to safety measures, emergency

treatment, storage, and discard referencing the following

# 3. Composition and component information

Difference of single material and blended material

Chemical name or general name
: lubricant agent

Component and contained amount : synthetic oil, thickener, additive agent

Chemical characteristic (chemical formula) : not disclosed

Serial number of notice through official gazettes : not disclosed

(Law Concerning the Examination and Regulation of Manufacture, Industrial Safety and Health Act)

CAS No. : not disclosed

4. Emergent measures

If swallowed : Do not let the victim disgorge forcibly. If the inside of mouth is

contaminated, wash the mouth with water carefully. If you feel

sick, receive diagnosis / treatment from a doctor.

If inhaled : Move the victim to fresh air and keep at rest in a position

comfortable for breathing. If you feel sick, receive diagnosis /

treatment from a doctor.

If attached to skin Wipe off the product with cloth or paper, and then wash the part

where the product was attached with water and soap. If skin irritancy is caused, receive diagnosis / treatment from a doctor.

If in eyes : Wash the eyes with water carefully for a few minutes. Next, if the

victim is waring contact lenses and they can be easily removed, remove them. Then, continue washing eyes. If the eye irritancy continues. receive diagnosis / treatment from an eve doctor.

5. Measures for fire

Fire extinguishing agent: Misty fire extinguishing liquid, foam, powder, carbon dioxide

Unusable fire Rod-shaped water or pouring water may spread the fire and may he dangerous

extinguishing agent Hazard inherent to fire Combustion gas contains harmful gas such as carbon monoxide,

phosphorylation, sulfur oxide, hydrogen chloride.

Specific fire : For the initial fire, use powdery extinguishing agent or carbon

extinguishing method dioxide fire extinguishing agent.

In case of large-scale fire, use foam fire extinguishing agent or

misty fire extinguishing liquid.

6. Measures for leakage

Cautions on human bod: During the work, wear proper protective equipment. Stretch a

rope around the place where the product leaks to seal off the

access of people except for concerned parties.

Take care not to discharge the leaked product to river etc. Cautions on environmer:

Discard the collected matter or used waste cloth etc. following

How to remove : Collect the product as much as possible using a spatula etc. into

an empty container and wipe off the residual product with waste Remove the ignition source around the product quickly and

Preventive measures prepare tools for fire extinguishing. for secondary disaster

7. Cautions on handling and storage

Handling

Technical measures: Wear proper protective equipment such as protective glasses

and gloves to avoid direct contact. Ventilate the working place sufficiently.

Caution

Safety cautions on handling

: Ventilate the working place sufficiently

Do not generate vapor or mist without good reason.

When handling large amount of product exceeding the specified quantity, handle it at manufacturing place, storage place, or handling place fulfilling the standard specified by laws Before using the product, obtain SDS / instruction manual. Read and understand all safety precautions before using the

Do not inhale smoke, gas, mist, or spray.

Wash the hands carefully after handling the product

Do not eat, drink, or have a smoke when handling this product. If the product is attached to clothes, put off the contaminated

clothes. When reusing them, wash them.

No fires

Storage

Proper storage conditions :

Seal the product tightly to prevent mixture of dirt or moisture. Store the product in a cool and dark place avoiding direct

Ventilate the storage place accumulate vapor.

Store the product separately from anti-mixing substance or

strong oxidizing agent (strong oxidizing agent) Store the product following the Fire Service Act

No fires

8. Prohibition of exposure and protection measures

Equipment measures : If vapor or mist is generated, seal the generation source or install

local ventilation system.

For electric devices, use explosion-proof type.

Install equipment for washing eyes and body near the place

where the product is handled.

Standard control : Sulfurized oil 10ppm (hydrogen sulfide)

concentration (work environment standard: Ministerial Notification No. 26 of the

Ministry of Health, Labour and Welfare, March 27, 1995)

Allowable concentration

Japan Society for Occupational Health . C.,

: Sulfurized oil 10ppm (hydrogen sulfide, 2000)

ACGIH : TLV-TWA Sulfurized oil 10ppm (hydrogen sulfide, 2001)

Protective equipment

Respiratory : Not necessary under usual handling conditions especially protective If vapor or mist is generated, wear protective equipment for

equipment organic gas.
Hand protector : Oil-resistant gloves
Eve protector : Normal protective glasses

Skin and body If there is a risk of attachment, wear oil-resistant long-sleeved

protector : working clothes.

# 9. Physical and chemical characteristics

Physical state

Shape : paste form Color : white

Odor : faint peculiar odor

Specific temperature / temperature range at which physical state changes

Boiling point : there is no data

Melting point : 180°C or more (@JIS K2220-5.4 Dropping point)

Ignition point : there is no data
Ignition point : 200°C or more
Flashing point : there is no data
Explosion limit : there is no data
Vapor pressure : extremely small

Density : Approx. 0.85 g/cm3 (@15°C)

Dissolubility : Insoluble in water. Soluble in petroleum solvent such as benzene

and toluene.

10. Stability and reactivity

Stability : stable at room temperature
Reactivity : there is no reactivity with water

Condition to be avoided: contact with dangerous substance to be mixed

Dangerous substance to be mixed: strong oxidizing agent

Hazardous degradation products: During combustion, carbon monoxide, sulfur oxide, and chloride

compound etc. are generated.

11. Hazard information

Acute toxicity (oral) : cannot be classified because the is not sufficient data Acute toxicity (percutaneous) : cannot be classified because the is not sufficient data Acute toxicity (inhalation / mist) : cannot be classified because the is not sufficient data Skin corrosivity / irritanc; cannot be classified because the is not sufficient data Severe damage to eye / eye irritancy

: cannot be classified because the is not sufficient data

Respiratory sensitizatior : cannot be classified because the is not sufficient data Skin sensitization : Set to category 1 because the component of category 1 is

included exceeding the concentration limit.

Germ cell mutagenicity : cannot be classified because the is not sufficient data Carcinogenic : cannot be classified because the is not sufficient data Reproductive toxicity : cannot be classified because the is not sufficient data

Toxicity for specific organ (single exposure)

: cannot be classified because the is not sufficient data

Toxicity for specific organ (repeated exposure)

: cannot be classified because the is not sufficient data

\* The judgment shown above followed "Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" (JIS Z7252-

### 12. Environmental effect information

Water environment (acute toxicity) : cannot be classified because the is not sufficient data Water environment (chronic toxicity) : cannot be classified because the is not sufficient data Harmful effect on ozone layer : Each component is not listed in Montreal Protocol.

\* The judgment shown above followed "Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" (JIS Z7252-Migratory property : If the product is emitted in environment, it may move into soil.

Persistency / degradabil: Biodegradability seems to be low.

13. Cautions on discard

: Dumping is prohibited, discard the product properly following the

"Waste Management and Public Cleansing Act".

When discarding content or container, outsource the work to an expert waste disposer who gets permission based on the laws /

bylaw of each autonomous body.

When discarding an empty container, remove the content completely and recycle it, or discard it properly following relevant laws and standard of local autonomous body.

14. Cautions on transportation

UN classification : does not fall into dangerous substance defined by UN

UN number : not applicable

National regulations : not applicable to dangerous substance of Fire Service Act

not applicable to dangerous substance of marine transportation

and air transportation

15. Applicable laws

Fire Service Act : specified combustible material, combustible solid (non-hazardous

material)

Poisonous and Deleterious Substances Control Act : not applicable

Industrial Safety and Health Act substance to be indicated (Article 57)

: not applicable

Industrial Safety and Health Act substance to be notified (Paragraph 2, Article 57)

: not applicable

Law for Promotion of Chemical Management (PRTR law) Class I and Class II designated substances

: not applicable

Water Pollution Prevention Law: oil emission regulation (as allowable concentration 5mg/1 normal

hexane extracts)

Act for the Prevention : oil emission regulation (prohibited as a general rule)

of Marine Pollution and Maritime Disasters

Sewerage Service Act : mineral oil emission regulation (5mg/l)

Waste Management and Public Cleansing Act

: Industrial waste regulations (prohibition of diffusion and leakage)

# 16. Other information

Reference literatures etc.

- 1 Recommendation on allowable concentration etc., Japan Society for Occupational Health (2006)
- 2 American Conference of Governmental Industrial Hygiene (ACGIH) "TLVs and BELs 2004" (2004)
- 3 International Uniform Chemical Information Database (IUCLID) (2000)
- 4 IARC suppl.7 (1987)
- 5 IARC Monographs Programme on the Evaluation of Carcinogenic Risk to Humans (1987)
- 6 Appendix I "list of dangerous substances" of EC Board Directive "67/548/EEC"
- 7 American Conference of Governmental Industrial Hygiene: ACGIH documentation (2001)
- 8 IARC Monographs Programme on the Evaluation of Carcinogenic Risk to
- 9 WHO/IPCS: "Environmental Health Criteria (EHC)" (1982)
- 10 WHO/IPCS: "ICSC card (International Chemical Safety Cards) (2001)
- 11 Classification of chemicals based on GHS (JIS Z7252-2014)

Handling of described content in this document is based on the best knowledge of our company, however, it does not guarantee correctness and completeness of information. This information may be revised based on new knowledge and test etc. As all chemical substances have risk of unknown hazardousness, extra care is required

for handling.

Please set the safe use conditions under the responsibility of each user.